

附件九 CISCO 電腦用語

a-law	adm	amadns
a-link	admd	amatps
aaa	administrator	ami
aal	adp	amplitude
aal1	adpcm	amrl
aal2	adsl	anp
aal5	adsp	ansi
aarp	adsu	answer-mode
abm	adts	antenna
abr	advertising	anti-replay
abrd	ae	anvm
abs	aep	anw
ac	aerm	anycast
access-accept	afc	aow
access-challenge	affinity	ap
access-request	afi	apa
acd	afnor	apad
acf	afp	apart
ack	afs	apc
acknowledgment	agent	apdu
aco	ah	api
acom	aht	apn
acr	ai	apnic
acs	aim	appc
acse	ain	applet
activation	aio	appletalk
activex	aip	application
acu	ais	appn
acuta	aix	aps
ad	alarm	apsb
adapter	algorithm	ar
adc	alias	ara
adccp	alps	arc
address	als	archie
adf	am	architecture
adjacency	ama	arcnet

arin	au	bici
arl	aup	bidir-pim
arm	aurp	big-endian
arp	authentication	biga
arpa	authorization	bind
arq	autoreconfiguration	binhex
aru	availability	bip
as	avbo	bipolar
asa	avm	bisdn
asam	aw	bisync
asbr	b8zs	bitnet
asci i	backbone	bits
ascu	backhaul	blocking
asd	backhauling	blower
ase	backoff	blsr
asi	backplane	bni
asic	baf	bnm
assist	balun	bnn
asn	bandwidth	bo bi
asp	bar rnet	boc
aspi	baseband	bootp
ast	bash	bpdu
asta	baud	bpi
async	bbn	bps
at	bc	bpv
atb	bcp	brf
atcp	bdcs	brhr
atdm	be	bri
atg	beacon	bridge
ath	becn	bridge-group
atm	bellcore	broadband
atm-lsr	ber	broadcast
atmm	bert	brouter
atp	bgp	browser
attenuation	bgp4	bsc
attribute	bia	bsd
au	bib	bsn

bss	ccna	channel-attached
bstun	cco	chap
bt	ccot	chargen
bta	ccr	cheapernet
bts	ccs	checksum
btu	ccsrc	churn
btw	ccss7	cic
buffer	cd	cicnet
build	cd-rom	cics
burst	cd-rw	cid
bus	cdb	cidr
bvi	cddi	cip
bxm	cde	cipher
byte	cdf	ciphertext
c-isup	cdma	cir
ca	cdp	circuit
cable	cdpd	ciscofusion
cac	cdr	ciscoview
caching	cdv	cix
caf	cdvt	cktint
cage	ced	claw
call	cef	clearddts
cam	cell	clec
cap	cen	clei
car	cenelec	cli
carrier	centrex	clid
cas	cep	client
catenet	cept	cloning
catv	cer	clp
cbac	cerfnet	clr
cbc	cern	cltp
cbds	cert	cm
cbr	certificate	cmi
cbwfq	cet	cmip
cc	cfrad	cmis
ccb	cgi	cmnm
ccie	chaining	cmns
ccitt	channel	cms

cmt	cpi-c	datakit
cmts	cpnie	davic
co	cpp	db
co-ipx	cps	db2
codec	cq	dbi
coder-decoder	crankback	dbm
coding	crc	dbw
collision	cren	dca
com	crf	dcc
communication	crl	dce
community	crp	dcf
companding	crv	dcn
compression	cs	dcom
concentrator	csa	dcs
conf	csfs	dct
congestion	cslip	ddic
connection-oriented	csm	ddm
connectionless	csnet	ddn
conp	csnp	ddp
cons	csu	dds
console	csv	de
contention	ctd	de-activation
convergence	cti	dea
conversation	cts	deadlock
cookie	cu	decibels
coos	cv	decnet
cops	cwaf	decrypt
cor	cxbus	decryption
corba	cyberspace	dek
cos	d-h	delay
cosine	dac	demarc
cost	dacs	demodulation
cot	dap	demodulator
cp	darpa	demultiplexer
cpc	das	demultiplexing
cpcs	database2	demux
cpe	datagram	deprovisioning

der	ds0	ec
des	ds1	ecdsa
device	dsa	echo
dhcp	dsap	echoplex
dia	dsf	ecm
din	dsl	ecma
direct-inward-dial	dslam	edfa
disa	dsn	edi
dit	dsp	edifact
dlci	dspu	eecm
dll	dspware	eeprom
dlsw	dsr	efci
dlu	dsu	eff
dlur	dsx-1	egp
dlus	dte	egress
dma	dtl	ehsa
dmac	dtmf	eia
dmdp	dtp	eia-530
dmm	dtr	neighborhood
dmp	dua	eigrp
dn	dual	eip
dna	dvb	eirp
dnic	dvb-c	eisa
dnis	dvmrp	elan
dnsix	dvvi	elap
docsis	dwdm	ema
dod	dxl	emi
doi	e-isup	emif
domain	e-mail	emp
dpm	e1	ems
dqdb	e2a	emtox
dram	e3	en
drda	eap	encapsulation
drop	earn	encoder
drp	eas	encryption
ds	ebcdic	endpoint
ds-0	ebone	entity
ds-1	ebu	eom

eot	fe	freenet
epd	fec	frequency
eprom	fecn	frmr
equalization	feip	frts
er	fep	fsip
erc	fgd	fsn
es	fgd-eana	fssrp
es-is	ficon	fst
escon	fid0	ftam
esd	fid1	ftp
esf	fid2	funi
esi	fid3	fuzzball
esnet	fid4	fx
esp	filter	gain
ess	finger	gatekeeper
etherchannel	fip	gateway
ethernet	firewall	gb
ethertalk	firmware	gbps
etsi	fisu	gcac
eunet	fix	gcra
event	flapping	gdp
ewos	flooding	ggp
exec	flow	ggsn
expansion	flowspec	ghz
exz	flt	gigabit
f-link	fm	gigabyte
fallback	fnc	gigahertz
fantail	foirl	gix
faq	footprint	gleaning
farnet	forwarding	gns
fcc	fots	goodput
fcfs	fqdn	gopher
fcs	frad	gossip
fddi	fragment	gprs
fdditalk	fragmentation	gre
fdl	frame	grj
fdm	fras	grq

gsm	hsrp	igmp
gsn	hssi	igp
gss	html	igrp
gtp	http	iih
gtt	hub	inren
gui	hyperlink	iioop
hairpinning	hypertext	iisp
handshake	hz	iita
hcms	i-d	ike
hdb3	i-frame	ilec
hdlc	ia	ilmi
hds	iab	ima
hdl	iac	imap
head-end	iahc	imap4
headend	iana	imho
header	ibc	imp
heartbeat	icann	imsi
hec	icc	imt
hello	icd	ina
hepnet	icm	inap
hertz	icmp	inasoft
hfc	icp	inb
hfe	icpif	incrp
highway	icrl	ine
hip	idb	infrared
hippi	idea	inoc
hld	idi	intap
hlr	idn	interface
hmac	idp	interference
hmm	idpr	internet
holddown	idrp	internet-draft
homologation	ie	internetwork
hop	iec	internetworking
host	iepg	internic
hpcc	iesg	interoperability
hpcs	ietf	ioc
hpr	if-mib	iocc
hsci	ifip	ionl

ios	ixc	lcv
ip	janet	ldap
ipc	java	ldcelp
ipcp	jdbc	ldif
ipng	jitter	ldp
ipsec	jpeg	le_arp
ipso	jtapi	lec
ipv6	jumper	lecs
ipx	junction	led
ipxcp	junet	les
ipxwan	jvncnet	lfi
ir	kb	lfib
irb	kbits	lfsr
irc	kek	lgn
irdp	kerberos	license
irn	kermit	line
irr	kilobit	link
irsg	kilobyte	lis
irtf	kva	listserv
is	laa	little-endian
is-is	label	llap
isa	lac	llc
isakmp	laddr	llc2
isdn	lambda	lmds
isl	lan	lmi
ism	lane	lmt
iso	lapb	lnni
isoc	lapd	lns
isode	lapm	localtalk
isp	laser	locd
isr	lat	lock-and-key
issi	lata	lof
isup	latency	loop
isup_console	lbr	lop
itu-t	lci	los
iv	lcn	lossy
ivr	lcp	lpd

lr	media	modulation
lsa	medium	modulator-demodulator
lsb	megabit	
lsc	megabyte	mop
lsp	mesh	mosaic
lsr	message	mospf
lssu	metasignaling	moss
lte	metering	mpeg
lu	metric	mpls
luni	mf	mpoa
lvc	mft	mqi
mac-md5	mg	mrn
macip	mgc	mrp
madi	mgcp	ms
mae	mhp	ms-chap
man	mhs	msau
man-in-the-middle	mic	msb
map	microcode	msc
mars	microfilter	mslt
martian	microsegmentation	mso
mask	microwave	msu
matip	mid	mta
matv	midsplit	mtbf
mau	mii	mtp
mb	milnet	mtp1
mbone	mime	mtp2
mbps	mip	mtp3
mbs	mips	mttr
mca	mix	mtu
mcdv	mlp	mu-law
mclr	mls	mud
mcns	mmds	multicast
mcr	mmf	multihoming
mctd	mml	multiplexer
md	mmls-rp	multipoint
md5	mmls-se	multipoint-unicast
mdl	mmp	mux
mds	modem	n-isdn

nacs	netview	nsap
nadf	netware	nsb
nadn	network	nsf
nak	nfas	nsfnet
nam	nfs	nt-1
namespace	nhrp	ntp
nanog	nhs	ntri
nanp	nic	nve
nap	nis	nvrarn
narp	nist	nysernet
narrowband	nlc	nz-dsf
nas	nleso	oakley
nasi	nlm	oam&p
nat	nlos	oarnet
nau	nlri	obc
naun	nlsp	oc
nbfcip	nma	oc-n
nbma	nme	occ
nbns	nmp	oclc
nbp	nms	octet
nbs	nmvt	oda
ncb	nn	odbc
ncia	nni	odi
ncp	nntp	ofa
nlsa	noa	oid
nde	noc	oim
ndis	node	oir
ne	noise	olo
nearnet	nonce	omg
nebs	nos	onc
nems	npa	oos
net	npi	opc
netbeui	nren	opi
netbios	nrm	opt
netflow	nrz	osf
netiquette	nrzi	osinet
netscout	nsa	osp

ospf	pic	pri
oss	piggybacking	primary
ossi	pim	privilege
oui	ping	prmd
outframe	ping-ponging	probe
overlap	pinx	prom
p2mp	pkcs	proprietary
p2p	pki	protocol
pabx	plaintext	proxy
pacing	plar-opx	psdn
packet	plcp	pse
pad	plim	psn
pagp	plmn	pstn
pam	plp	pti
pap	plsp	ptse
parallelism	plu	ptsp
parc	pm	ptt
password	pmd	pu
payload	pnni	pup
pbx	pno	pvc
pci	poet	pvp
pcm	point-to-multipoint	race
pcr	point-to-point	ram
pcs	pol	rare
pcu	policy	rarp
pdu	polling	ras
peer	pom	rbac
pem	pop	rbhc
penetration	port	rboc
pfs	portware	rcp
pg	posi	rcv
pgl	post	rd
pgm	pots	rdi
pgp	ppp	re-activation
phase	pps	reassembly
phy	pptp	recovery
physnet	pq	redirect
piafs	precloning	redirector

redundancy	rpc	scan
registrar	rpf	sccp
registration	rpr	scp
regrade	rr	scr
rekey	rrj	scte
relay	rrq	sdh
reliability	rs-232	sdlc
reload	rs-422	sdllc
repeater	rs-423	sdp
replication	rs-449	sds1
repository	rsa	sdsu
repudiation	rsh	sdu
rf	rsip	seal
rfc	rsm	secam
rfi	rsp	secondary
rfp	rsrb	section
rfs	rsup	sefs
rhc	rsvp	segment
rif	rtcp	selector
rii	rtfm	server
rim	rtmp	ses
ring	rtp	session
rip	rts	set
ripe	rtsc	sf
risc	rtsp	sg
rje	rtt	sgcp
rlm	ru	sgml
rlogin	rudp	sgmp
rm	rvi	sha-1
rmon	s-frame	shadowing
rolc	sac	shaping
rom	san	sid
rose	sap	signaling
route	sar	sim
router	sas	simplex
routing	sbus	sinr
rp	sca	sip

site	spid	sts-3c
slac	spoofing	stun
slc	spooler	su
slip	spp	subarea
smac	spx	subchannel
smatv	sqe	subinterface
smb	sql	subnet
smds	sr	subnetwork
smg	sram	subvector
smi	srb	super-janet
smo	srcp	superencryption
smoothing	srp	supernet
smrp	srt	suranet
smt	srtsp	survivability
smtsp	srvtap	svc
sna	ss7	switch
snads	ssap	switching
snap	sscop	synchronization
sni	sscp	sysgen
snmp	sscs	t-carrier
snmp2	sse	t-ccs
snp	ssg	t1
snpa	ssl	t3
snr	ssm	tabs
snrm	ssn	tac
snrme	sso	tacacs
socket	ssp	tag
soho	ssrp	tail-end
sonet	sta	tapi
sp	stack	tarp
spa	standard	tb
spag	starlan	tc
spam	std	tca
span	stm-1	tcap
spc	stp	tcc
spe	stratum	tcl
spf	stream-oriented	tcm
spi	sts-1	tcp

tcu	tl-1	tuv
tdm	tlap	tymnet
tdma	tmn	u-frame
tdr	tmsi	u-law
te	tn3270	u-nii
tei	tnotify	ua
telco	token	uac
telecommunications	tokentalk	uart
telemetry	top	uas
telephony	topology	uauth
telerouter	tos	ubr
telex	tp	ucm
telnet	tp0	ucp
tempest	tp4	udlp
terena	tpd	udp
termid	tppmd	ui
terminal	traceroute	ui-frame
terminator	trail	uio
tess	trailer	ukerna
test	transaction	ul
tfn	transceiver	ulp
tftp	transform	umts
tgt	transpac	uni
tgw	trap	uni-osp
th	trbrf	unicast
thenet	trcrf	unipolar
thinnet	trip	unix
threshold	triple-wrapped	upc
throughput	trisl	upsr
tia	trunk	upstream
tic	tsapi	uri
tid	tsi	url
tie-line	tud	usenet
timeout	tulip	utc
tina-c	tunip	utp
tios	tunnel	uts
tirks	tunneling	uucp

uudecode	vpl	xml
uuencode	vpn	xns
vac	vrf	xot
van	vrml	xremote
vbr	vsa	xstream
vca	vsc	xtagatm
vcc	vsi	zip
vcd	vspt	zone
vci	vt-n	
vcl	vtam	
vcn	vtp	
vco	vty	
vdc	vwp	
vdsl	w-dcs	
vector	wan	
veronica	wap	
vf	wavelength	
vic	wccp	
vid	wdm	
vines	web	
vip	wepd	
virtualization	wfq	
virus	wic	
vlan	wideband	
vli	wildcard	
vlr	winsock	
vism	wiscnet	
vmac	workgroup	
vns	worm	
voatm	wrap	
vod	wred	
vofr	wrm	
vohdlc	www	
voip	xdmcp	
vp	xdr	
vpc	xdsl	
vpdn	xgcp	
vpi	xid	